



ELEVATE ANCHORGARD® MB HG RADIUS FASCIA

BUILT-UP OR MODIFIED VERSION

IMPORTANT!!! MUST INDICATE PROPER RADIUS CONDITION BY CIRCLING APPROPRIATE OUTSIDE FACE

PROVIDING A RADIUS
THE RADIUS MAY BE PROVIDED IN ONE OF TWO METHODS:


1.) THE ACTUAL KNOWN RADIUS IS

_____ ' FEET _____ " INCHES

OR


2.) FIELD CONDITION MEASUREMENTS

NOTE: REFER TO ATTACHED WORKSHEET FOR FURTHER INFORMATION




NOTE: CHECK MEASUREMENTS ALONG ENTIRE RADIUS.

DETAIL A




----- INDICATES AREAS THAT WILL BE SLIT AS NEEDED TO ACCOMODATE RADIUS



* RADIUS FASCIA PROVIDED IN 4'-0" LENGTHS IF RADIUS IS LESS THAN 48'-0".

* RADIUS FASCIA PROVIDED IN 12'-0" LENGTHS IF RADIUS IS 48'-0" OR GREATER.



FLANGE WELDED WHEN RADIUS IS LESS THAN 48'-0"

* RADIUS EXTRUDED BAR PROVIDED IN 4'-0" LENGTHS IF RADIUS IS LESS THAN 48'-0".

* RADIUS EXTRUDED BAR PROVIDED IN 12'-0" LENGTHS IF RADIUS IS 48'-0" OR GREATER.

FASCIA DIMENSIONS

PRODUCT ID. NO.	H DIM.	X DIM.	COVERAGE
<input type="checkbox"/> HG-AFM-55	5 1/2"	4 1/4"	2 NAILERS
<input type="checkbox"/> HG-AFM-70	7"	5 3/4"	3 NAILERS

Fabrication will proceed only after receipt of signed print approval.

Print Approval:

Architect and/or contractor shall verify all dimensions, sizes and quantities. All products to be installed in strict accordance with Elevate's printed instructions.

Approved by: _____

Date: _____

MATERIAL:

____ 24 GA. GALVANIZED STEEL COLOR: _____

____ 22 GA. GALVANIZED STEEL FINISH: _____

____ .040" ALUMINUM

____ .050" ALUMINUM

____ .063" ALUMINUM

____ OTHER _____

QUANTITIES:

_____ LINEAL FEET 12'-0" LENGTHS

PROJECT:

ARCHITECT:

ROOFING CONTRACTOR:

REPRESENTATIVE/DISTRIBUTOR:



ELEVATE
26 CENTURY BLVD.
SUITE 205
NASHVILLE, TN 37214
CONTACT YOUR LOCAL ELEVATE REPRESENTATIVE

DATE: 03/13/23
DRN BY: MLM
CKD BY: MM

SHT.# ____ OF ____
DWG# 13010-5663

H