




# ELEVATE SNAP-ON COPING



## \* NOTES

- Oil canning can occur on larger face heights; recommend 22 ga., .050" or .063" for face height above 8"
- Unless otherwise noted, fabrication of miters and accessories are furnished standard utilizing a non-penetrating quicklock joint, then factory sealed watertight.
- Welded accessories require a minimum material thickness of .050"
- For non-90 miters, see separate print approval
- Product should be installed per provided installation instructions
- ANSI/SPRI/FM 4435/ES-1 test pressures up to 69 psf (Horizontal) and 121 psf (Vertical) for 24 ga. galv. steel cap on 16" wall
- Contact us for masonry applications

## PROJECT INFO

Project Name: \_\_\_\_\_

Architect: \_\_\_\_\_

Roofing Contractor: \_\_\_\_\_

### Project Type:

By selecting this box you have verified and confirmed that dimensions, sizes, and quantities are correct. All products will be installed in strict accordance with printed instructions.

Date: \_\_\_\_\_

SHT# 1 of 2

DATE: 03/20/23

DRN BY: PL

CKD BY: KP

DWG #: 13011-37070

REV: B

## APPROVALS\*

**ANSI/SPRI/FM 4435/ES-1**  
Test Pressures listed in notes

## MATERIAL\*

- 24 Ga. Galv. Steel
  - 22 Ga. Galv. Steel
  - .040" Aluminum
  - .050" Aluminum
  - .063" Aluminum
  - OTHER: \_\_\_\_\_
- Color: \_\_\_\_\_
- Finish: \_\_\_\_\_
- Substrate:
- Wood
  - Masonry
  - Metal
- if substrate is not given, wood fasteners will be provided.


## QUANTITIES

Accessory Type\* :  Quicklock (Default)  Welded (Surcharge)

_____ Straight Lineal Feet (12'-0" Lengths)	_____ Radius Lineal Feet (Welded) (4'- 0" Lengths)
_____ Total Miters (90°) (Inside: ___   Outside: ___)	_____ Radius to Straight Miters (Welded)
_____ Total Endcaps (Left: ___   Right: ___)	_____ Radius End Caps
_____ Total Endwall Flashing (Left: ___   Right: ___)	_____ Vault Lineal Feet (Welded) (4'- 0" Lengths)
_____ Transition Miters	_____ Vault to Straight Miters (Welded)
_____ T-Miters	_____ Vault End Caps
_____ Z-Miters	_____ Ridge Miters
	_____ Valley Miters

## NOTES

For special miter and accessory requirements, contact manufacturer for assistance.



SHT# 2 of 2

DATE: 03/20/23

DRN BY: PL

CKD BY: KP

DWG #: 13011-37070

REV: D

**Elevate**  
 26 Century Blvd.  
 Suite 205  
 Nashville, TN 37214  
 Contact your local  
 Elevate representative.